

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	1 10 / 14

1. Identification**1.1. Product identifier**

Trade name	Protectosil® CHEM-TRETE® PB VOC
Chemical Name	Protectosil® CHEM-TRETE® PB VOC

1.2. Recommended use of the chemical and restrictions on use

Relevant applications identified	For industrial use
----------------------------------	--------------------

1.3. Details of the supplier of the safety data sheet

Company	Evonik Corporation 299 Jefferson Road Parsippany, NJ 07054-0677 USA
Telephone	973-929-8000
Telefax	973-929-8040
Email address	Product-Regulatory-Services@Evonik.com

1.4. 24 HOUR EMERGENCY TELEPHONE NUMBERS:

CHEMTREC - US & CANADA:	800-424-9300
CHEMTREC MEXICO:	01-800-681-9531
CHEMTREC INTERNATIONAL:	+1 703-527-3887 (collect calls accepted)
Product Regulatory Services:	973-929-8060

2. Hazards identification**2.1. Classification of the substance or mixture**

Classification according to Regulation 29CFR 1910.1200

Flammable liquids	Category 2	H225
Skin irritation	Category 2	H315

2.2. Label elements

Statutory basis symbol(s) Classification according to Regulation 29CFR 1910.1200



SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	2 10 / 14

Signal word	Danger
Hazard statement	H225 - Highly flammable liquid and vapor. H315 - Causes skin irritation.
Precautionary statement: Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P264 - Wash skin thoroughly after handling. P280 - Wear protective gloves/ eye protection/ face protection.
Precautionary statement: Reaction	P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P332 + P313 - If skin irritation occurs: Get medical advice/ attention. P362 - Take off contaminated clothing and wash before reuse. P370 + P378 - In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
Precautionary statement: Storage	P403 + P235 - Store in a well-ventilated place. Keep cool.
Precautionary statement: Disposal	P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards

None known.

3. Composition/information on ingredients

• Ethanol; ethyl alcohol	>= 30% - < 60%
CAS-No. 64-17-5	
Flammable liquids	Category 2
• Triethoxyisobutylsilane	>= 10% - < 30%
CAS-No. 17980-47-1	
Flammable liquids	Category 4
Skin irritation	Category 2
• Triethoxyoctylsilane	>= 10% - < 30%
CAS-No. 2943-75-1	
Skin irritation	Category 2

4. First aid measures**4.1. Description of first aid measures****Inhalation**

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If unconscious, evaluate the need for artificial respiration. Get immediate medical attention.

Skin contact

Remove contaminated clothing/shoes. Flush skin with water. Follow by washing with soap and water. If symptoms develop or persist, obtain medical attention. Wash clothing before reuse.

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	3 10 / 14

Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes or until all material has been removed. Obtain medical attention.

Ingestion

Do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed**Symptoms**

None known

4.3. Indication of any immediate medical attention and special treatment needed

None known.

5. Fire-fighting measures**5.1. Extinguishing media**

Suitable extinguishing media: Use water spray or fog, foam, dry chemical or CO₂.

Unsuitable extinguishing media: High volume water jet.

5.2. Special hazards arising from the substance or mixture

Flammable liquid. Vapors can travel to a source of ignition and flash back. Explosive mixtures may occur at temperatures at or above the flashpoint.

5.3. Advice for firefighters

Containers can build up pressure if exposed to heat (fire). Cool with water spray.

As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA / NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Ventilate the area. Wear personal protective equipment; see section 8.

6.2. Environmental precautions

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, ponds, groundwater or soil.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Additional advice

Remove sources of ignition and ventilate area.

Run off may create fire or explosion hazard in sewer.

Assure sufficient ventilation.

7. Handling and storage**7.1. Precautions for safe handling**

Ensure adequate ventilation. Wear personal protective equipment; see section 8. Keep away from heat, sparks, flames and other sources of ignition. Keep container tightly closed. Use only with adequate ventilation.

Vapors may spread long distances and travel to areas away from the work site before igniting or flashing back to the vapor source.

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	4 10 / 14

7.2. Conditions for safe storage, including any incompatibilities**Advice on protection against fire and explosion**

This material may have a low electrical conductivity and therefore may accumulate dangerous levels of static electricity. An ignitable vapor-air mixture can form inside storage tanks.

The user must be sure to dissipate static charge by careful bonding and grounding of all equipment and personnel involved in fluid transfer with continuity checks to prove effectiveness. Additional precautions against fire and explosion are the use of inert gas to purge vapor space; dip-pipes while filling vessels, especially lined vessels; grounded tank level floats; reduced flow velocity; self-closing valves on transfer lines and flame arrestors in vent lines.

Additional guidance on fire and explosion protection may be found in various consensus standards, including NFPA 30, 69 and 77 and API 2003 as well as OSHA regulation 29CFR1910.106.

Follow all MSDS/label precautions even after container is emptied because it may retain product residues.

Storage

Keep in a cool place.

Keep container tightly closed in a dry and well -ventilated place.

Residual vapors might explode on ignition; do not apply heat, cut, drill, grind or weld on or near this container.

8. Exposure controls/personal protection**8.1. Control parameters**

• Ethanol		
CAS-No.	64-17-5	
Control parameters	1000 ppm 1900 mg/m3	Permissible exposure limit:(OSHA Z1)
Control parameters	1000 ppm 1900 mg/m3	Time Weighted Average (TWA) Permissible Exposure Limit (PEL):(US CA OEL)
Control parameters	1000 ppm	Short Term Exposure Limit (STEL):(ACGIH)
Control parameters	1000 ppm 1900 mg/m3	Time Weighted Average (TWA):(TN OEL)

8.2. Exposure controls**Engineering measures**

Use this product preferably in a closed system, or use process enclosures, local exhaust ventilation or other engineering controls to minimize airborne exposure.

Personal protective equipment**Respiratory protection**

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hand protection

Use impermeable gloves.

Eye protection

Use chemical splash goggles or face shield.

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	5 10 / 14

Skin and body protection

A safety shower and eye wash fountain should be readily available.

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Color	clear
Form	liquid
Odor	Strong odor
Odor Threshold	not determined
pH	not applicable
Melting point/range	no data available
Boiling point/range	not applicable
Flash point	12.22 °C Method: Pensky-Martens C.C.
Evaporation rate	not determined
Flammability (solid, gas)	no data available
Lower explosion limit	3.5 %(V)
Upper explosion limit	15 %(V)
Vapor pressure	not applicable
Vapor density	no data available
Relative vapor density	no data available
Relative density	0.802
Density	no data available
Water solubility	not miscible decomposition by hydrolysis
Partition coefficient: n-octanol/water	no data available
Autoignition temperature	not determined
Thermal decomposition	not determined
Viscosity, dynamic	not determined

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	6 10 / 14

Viscosity, kinematic no data available

9.2. Other information

Explosiveness Vapors can form explosive mixtures with air.

% VOC (gm/l) 600

10. Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions**10.4. Conditions to avoid**

Avoid high temperatures and sources of ignition.

10.5. Incompatible materials

Water, Acids, oxidizing substances

10.6. Hazardous decomposition products

Ethanol in case of hydrolysis

Stable under normal conditions.

Product will not undergo hazardous polymerization.

11. Toxicological information**11.1. Information on toxicological effects**

Acute oral toxicity Acute toxicity estimate : > 5000 mg/kg
Method: Calculation method

carcinogenicity assessment Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA.

Further information The toxicological properties of this product have not been fully investigated.

Toxicological information on components**Ethanol; ethyl alcohol**

Acute oral toxicity LD50 Rat: 6200 mg/kg
Test substance: Ethanol
(IUCRID)

Acute inhalation toxicity LC50 Rat: 95.6 mg/l / 4 h
Test substance: Ethanol
RTECS

Skin irritation Rabbit
Not irritating.
Method: OECD Test Guideline 404

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	7 10 / 14

	Test substance: Ethanol The liquid removes oil from the skin. Repeated skin contact can cause dry and fragile skin.
Sensitization	Magnusson & Kligman: not sensitizing Test substance: Ethanol (IUCRID)
Mutagenicity assessment	This product may cause mutagenic effects.

Triethoxyisobutylsilane

Acute oral toxicity	LD50 Rat: > 5000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	LC50 Rat: 5.88 mg/l / 4 h / Aerosol Method: OECD Test Guideline 403
Acute dermal toxicity	LD50 Rat: > 2000 mg/kg Method: OECD Test Guideline 402
Skin irritation	Rabbit irritating Method: OECD Test Guideline 404
Eye irritation	Rabbit Not irritating. Method: OECD Test Guideline 405
Sensitization	Maximization test Guinea pig: Does not cause skin sensitization. Method: OECD Test Guideline 406
Repeated dose toxicity	Oral Rat / 28-day NOAEL: > 1000 mg/kg Method: OECD Test Guideline 407
Gentoxicity in vitro	Ames test Salmonella typhimurium negative Method: OECD TG 471 Chromosome aberration test in vitro Chinese hamster (V 79 -cells) negative Method: OECD TG 473 Chromosome aberration test in vitro Chinese hamster (CHO K1 -cells) negative Method: OECD TG 476
Gentoxicity in vivo	chromosomal aberration Mouse Oral negative Method: OECD TG 474
Toxicity to reproduction	Animal model trials have produced no evidence of fertility damage.

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	8 10 / 14

Triethoxyoctylsilane

Acute oral toxicity	LD50 Rat: > 5110 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	LC0 Rat: 22 ppm / 4 h / vapor Method: OECD Test Guideline 403 maximum concentration in the test: no animals died.
Acute dermal toxicity	LD50 Rabbit: 6730 mg/kg Method: OECD Test Guideline 402
Skin irritation	Rabbit irritating Method: OECD Test Guideline 404
Eye irritation	Rabbit not irritating Method: OECD Test Guideline 405
Sensitization	maximization test Guinea pig: No sensitizing effects. Method: OECD Test Guideline 406 Test substance: Structurally similar substance
Repeated dose toxicity	Oral Rat / 28-day NOAEL: 300 mg/kg Method: OECD TG 422
Gentoxicity in vitro	Ames test Salmonella typhimurium negative Method: OECD TG 471 chromosomal aberration Chinese hamster (CHO K1 -cells) negative Method: OECD TG 473 Genetic mutation in mammal cells TK +/- mouse lymphoma cell (L5178Y) negative Method: OECD TG 476
Toxicity to reproduction	Screening for reproductive/developmental toxicity Oral Rat Number of exposures: daily NOAEL (No Observed Adverse Effect Level) of parents: Method: OECD TG 422 300 mg/kg Screening for reproductive/developmental toxicity Oral Rat Number of exposures: daily NOAEL F1: Method: OECD TG 422 300 mg/kg

12. Ecological information

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	9 10 / 14

12.1. Toxicity

no data available

12.2. Persistence and degradability

Biodegradability No data available

12.3. Bioaccumulative potential

Bioaccumulation No data available

12.4. Mobility in soil

Mobility No data available

12.5. Other adverse effects

Further Information No ecotoxicological studies are available.

13. Disposal considerations**13.1. Waste treatment methods****Product**

Waste must be disposed of in accordance with federal, provincial, state and local regulations. Empty containers must be handled with care due to product residue. DO NOT HEAT OR CUT THE EMPTY CONTAINER WITH AN ELECTRIC OR GAS TORCH.

Uncleaned packaging

Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

14. Transport information**D.O.T. Road/Rail**

- | | |
|---|------------------|
| 14.1. UN number: | UN 1170 |
| 14.2. UN proper shipping name: | Ethanol solution |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| 14.5. Environmental hazards (Marine pollutant): | -- |
| 14.6. Special precautions for user: | No |

Air transport ICAO-TI/IATA-DGR

- | | |
|-------------------------------------|------------------|
| 14.1. UN number: | UN 1170 |
| 14.2. UN proper shipping name: | Ethanol solution |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| 14.5. Environmental hazards: | -- |
| 14.6. Special precautions for user: | Yes |

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	10 10 / 14

- IATA-C: ERG-Code 3L
Maximum Net Quantity per Package 60 L
- IATA-P: ERG-Code 3L
Maximum Net Quantity per Package 5 L

Sea transport IMDG-Code/GGVSee (Germany)

- 14.1. UN number: UN 1170
- 14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
- 14.3. Transport hazard class(es): 3
- 14.4. Packing group: II
- 14.5. Environmental hazards (Marine pollutant): --
- 14.6. Special precautions for user: No
EmS: F-E,S-D
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:
for transport approval see regulatory information

15. Regulatory information**US Federal Regulations****OSHA**

If listed below, chemical specific standards apply to the product or components:

- None listed

Clean Air Act Section (112)

If listed below, components present at or above the de minimus level are hazardous air pollutants:

- None listed

CERCLA Reportable Quantities

If listed below, a reportable quantity (RQ) applies to the product based on the percent of the named component:

- None listed

SARA Title III Section 311/312 Hazard Categories

The product meets the criteria only for the listed hazard classes:

- Acute Health Hazard
- Fire Hazard

SARA Title III Section 313 Reportable Substances

If listed below, components are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

- None listed

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	11 10 / 14

Toxic Substances Control Act (TSCA)

If listed below, non-proprietary substances are subject to export notification under Section 12 (b) of TSCA:

- None listed

State Regulations

The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in section 2 and 15 of this MSDS.

California Proposition 65

A warning under the California Drinking Water Act is required only if listed below:

- None listed

An employer using HMIS/NFPA labeling must through training ensure that its employees are fully aware of the hazards of the chemicals used.

HMIS Ratings

Health:	2
Flammability:	3
Physical Hazard:	1

NFPA Ratings

Health:	2
Flammability:	3
Reactivity:	1

16. Other information**Further information**

Revision date 05/07/2015

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	12 10 / 14

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	13 10 / 14

Legend

ACC	American Chemistry Council
ACGIH	American Conference of Governmental Industrial Hygienists
ACS	Advisory Committee on Sustainability
ADI	Acceptable Daily Intake
ASTM	American Society for Testing and Materials
ATP	Adaptation to Technical Progress
BCF	Bioconcentration factor
BOD	Biochemical oxygen demand
c.c.	closed cup
CAO	Cargo Aircraft Only
Carc	Carcinogen
CAS	Chemical Abstract Services
CDN	Canada
C EPA	Canadian Environmental Protection Act
CERCLA	Comprehensive Environmental Response – Compensation and Liability Act
CFR	Code of Federal Regulations
CMR	carcinogenic- mutagenic-toxic for reproduction
COD	Chemical oxygen demand
DIN	German Institute for Standardization
DM EL	Derived minimum effect level
DNEL	Derived no effect level
DOT	Department of Transportation
EC50	half maximal effective concentration
EPA	Environmental Protection Agency
ErC50	Reduction of Growth Rate
ERG	Emergency Response Guide Book
FDA	Food and Drug Administration
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
GLP	Good Laboratory Practice
GMO	Genetic Modified Organism
HCS	Hazard Communication Standard
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	Intermediate Bulk Container
ICAO-TI	International Civil Aviation Organization- Technical Instructions
ICCA	International Council of Chemical Association
ID	Identification number
IMDG	International Maritime Dangerous Goods
IUPAC	International Union of Pure and Applied Chemistry
ISO	International Organization for Standardization
LC50	50 % Lethal Concentration
LD50	50 % Lethal Dose
L(E)C 50	LC50 or EC50
LOA EL	Lowest observed adverse effect level
LOEL	Lowest observed effect level
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NOAEL	No observed adverse effect level
NOEC	no observed effect concentration
NOEL	no observed effect level
o. c.	open cup
OECD	Organization for Economic Cooperation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety and Health Administration
PBT	Persistent, bioaccumulative, toxic
PEC	Predicted effect concentration
PNEC	Predicted no effect concentration
RQ	Reportable Quantity
SDS	Safety Data Sheet
STOT	Specific Target Organ Toxicity
UN	United Nations
vPvB	very persistent, very bioaccumulative

SAFETY DATA SHEET**Protectosil® CHEM-TRETE® PB VOC**

Material no.		Version	4.0 / US
Specification	141228	Revision date	05/07/2015
Order number		Print date	09/16/2015
		Page	14 10 / 14

VOC Volatile organic compounds
WHMIS Workplace Hazardous Materials Information System
WHO World Health Organization